

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|-------------------------------|--|------------------|---------|------------------|
| L2 | 3077 | 514/290 514/291 546/79 546/80 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/02 10:18 |
| L3 | 186 | I2 and androgen | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/02 10:18 |
| L4 | 21 | I3 and tetrahydroquinoline | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/02 10:19 |

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTADEG1625

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

| | | | |
|--------------|---|--|--|
| NEWS | 1 | | Web Page for STN Seminar Schedule - N. America |
| NEWS | 2 | AUG 06 | CAS REGISTRY enhanced with new experimental property tags |
| NEWS | 3 | AUG 06 | FSTA enhanced with new thesaurus edition |
| NEWS | 4 | AUG 13 | CA/CAPLUS enhanced with additional kind codes for granted patents |
| NEWS | 5 | AUG 20 | CA/CAPLUS enhanced with CAS indexing in pre-1907 records |
| NEWS | 6 | AUG 27 | Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB |
| NEWS | 7 | AUG 27 | USPATOLD now available on STN |
| NEWS | 8 | AUG 28 | CAS REGISTRY enhanced with additional experimental spectral property data |
| NEWS | 9 | SEP 07 | STN AnaVist, Version 2.0, now available with Derwent World Patents Index |
| NEWS | 10 | SEP 13 | FORIS renamed to SOFIS |
| NEWS | 11 | SEP 13 | INPADOCDB enhanced with monthly SDI frequency |
| NEWS | 12 | SEP 17 | CA/CAPLUS enhanced with printed CA page images from 1967-1998 |
| NEWS | 13 | SEP 17 | CAPLUS coverage extended to include traditional medicine patents |
| NEWS | 14 | SEP 24 | EMBASE, EMBAL, and LEMBASE reloaded with enhancements |
| NEWS | 15 | OCT 02 | CA/CAPLUS enhanced with pre-1907 records from Chemisches Zentralblatt |
| NEWS | 16 | OCT 19 | BEILSTEIN updated with new compounds |
| NEWS | 17 | NOV 15 | Derwent Indian patent publication number format enhanced |
| NEWS | 18 | NOV 19 | WPIX enhanced with XML display format |
| NEWS | 19 | NOV 30 | ICSD reloaded with enhancements |
| NEWS | 20 | DEC 04 | LINPADOCDB now available on STN |
| NEWS | 21 | DEC 14 | BEILSTEIN pricing structure to change |
| NEWS | 22 | DEC 17 | USPATOLD added to additional database clusters |
| NEWS | 23 | DEC 17 | IMSDRUGCONF removed from database clusters and STN |
| NEWS | 24 | DEC 17 | DGENE now includes more than 10 million sequences |
| NEWS | 25 | DEC 17 | TOXCENTER enhanced with 2008 MeSH vocabulary in MEDLINE segment |
| NEWS | 26 | DEC 17 | MEDLINE and LMEDLINE updated with 2008 MeSH vocabulary |
| NEWS | 27 | DEC 17 | CA/CAPLUS enhanced with new custom IPC display formats |
| NEWS | 28 | DEC 17 | STN Viewer enhanced with full-text patent content from USPATOLD |
| | | | |
| NEWS EXPRESS | 19 | SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007. | |
| | | | |
| NEWS HOURS | STN Operating Hours Plus Help Desk Availability | | |
| NEWS LOGIN | Welcome Banner and News Items | | |
| NEWS IPC8 | For general information regarding STN implementation of IPC 8 | | |

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 10:36:50 ON 02 JAN 2008

=> file registry
COST IN U.S. DOLLARS

| SINCE FILE | TOTAL |
|------------|---------|
| ENTRY | SESSION |
| 0.21 | 0.21 |

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 10:37:07 ON 02 JAN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 1 JAN 2008 HIGHEST RN 959833-82-0
DICTIONARY FILE UPDATES: 1 JAN 2008 HIGHEST RN 959833-82-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>
Uploading C:\Program Files\Stnexp\Queries\10-518405genB.str



chain nodes :

14 15 16 17 18 19

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13

chain bonds :

9-14 14-15 15-16 16-17 17-18 17-19

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 7-11 8-9 8-13 9-10 11-12 12-13

exact/norm bonds :

5-7 6-10 7-8 7-11 8-9 8-13 9-10 11-12 12-13 15-16 16-17 17-18 17-19


exact bonds :

9-14 14-15
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS
19:CLASS

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1 full
FULL SEARCH INITIATED 10:38:48 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 5850 TO ITERATE

100.0% PROCESSED 5850 ITERATIONS 20 ANSWERS
SEARCH TIME: 00.00.01

L2 20 SEA SSS FUL L1

| => file caplus | SINCE FILE | TOTAL |
|----------------------|------------|---------|
| COST IN U.S. DOLLARS | ENTRY | SESSION |
| FULL ESTIMATED COST | 179.74 | 179.95 |

FILE 'CAPLUS' ENTERED AT 10:39:37 ON 02 JAN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 Jan 2008 VOL 148 ISS 1
FILE LAST UPDATED: 1 Jan 2008 (20080101/ED)


Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l2
L3 3 L2

=> d l2 1-3 abs ibib hitstr
YOU HAVE REQUESTED DATA FROM FILE 'REGISTRY' - CONTINUE? (Y)/N:n


=> d l3 1-3 abs ibib hitstr



AB The title nonsteroidal tetrahydroquinoline derivative with general formula of I [wherein R1 = NO2 or CN; n = 0 or 1; X = (un)substituted alkylene; Y = (un)substituted NHCO, NHSO2, NHCONH, or NHCSNH; R2 = (un)substituted Ph, heteroaryl, etc.] or pharmaceutically acceptable salts thereof are prepared as androgen receptor agonists, particularly on skeletal muscle tissues and bone tissues without showing any excessive effect on prostatic gland. For example, 4-aminobenzonitrile was reacted with cyclopentadiene and N-(2,2-dimethyl-3-oxopropyl)carbamic acid tert-Bu ester in MeCN in the presence of CF3CO2H, followed by hydrogenation, hydrolysis, and reacted with 4-trifluoromethoxybenzoic acid to give the amide II. The compds. I showed strong binding inhibitory activity against androgen receptor in rat. Formulations containing I as an active ingredient were also described.

ACCESSION NUMBER: 2004:120829 CAPLUS
DOCUMENT NUMBER: 140:181335
TITLE: Preparation of novel tetrahydroquinoline derivatives as androgen receptor agonists
INVENTOR(S): Miyakawa, Motonori; Oguro, Nao; Hanada, Keigo; Furuya, Kazuyuki; Yamamoto, Noriko
PATENT ASSIGNEE(S): Kaken Pharmaceutical Co., Ltd., Japan
SOURCE: PCT Int. Appl., 55 pp.
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---------------|------|----------|-----------------|----------|
| WO 2004013104 | A1 | 20040212 | WO 2003-JP9815 | 20030801 |



AB The title nonsteroidal tetrahydroquinoline derivs. with general formula of I [wherein R1 = NO2 or CN; X = CH or O; m = 0 or 1; Y = (un)substituted alkylene; R2 = H, alkyl, cycloalkyl, or aralkyl; Z = (un)substituted alkyl, aryl, etc.] or pharmaceutically acceptable salts thereof are prepared as androgen receptor agonists. For example, the compound II was prepared in a three-step synthesis starting from 4-nitroaniline, cyclopentadiene, and tert-Bu N-(2,2-dimethyl-3-oxopropyl)carbamate. II showed relative binding affinity of 1076 against androgen receptor in rat. Formulations containing I as an active ingredient were also described.

ACCESSION NUMBER: 2004:2862 CAPLUS
DOCUMENT NUMBER: 140:59527
TITLE: Preparation of bicyclic tetrahydroquinoline derivatives as androgen receptor agonists
INVENTOR(S): Miyakawa, Motonori; Sumita, Yuji; Furuya, Kazuyuki; Ichikawa, Kiyonoshin; Yamamoto, Noriko; Hanada, Keigo; Amano, Seiji; Nejishima, Hiroaki
PATENT ASSIGNEE(S): Kaken Pharmaceutical Co., Ltd., Japan
SOURCE: PCT Int. Appl., 85 pp.
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:


| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---------------|------|----------|-----------------|----------|
| WO 2004000816 | A1 | 20031231 | WO 2003-JP7799 | 20030619 |

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SE, SZ, TG, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
AU 2003244313 A1 20040106 AU 2003-244313 20030619
EP 1520856 A1 20050406 EP 2003-760911 20030619
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT.

L3 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SE, SZ, TG, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
AU 2003252333 A1 20040223 AU 2003-252333 20030801
EP 1541560 A1 20050615 EP 2003-766703 20030801
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
US 2005277660 A1 20051215 US 2005-522553 20050201
PRIORITY APPL. INFO.: JP 2002-225300 A 20020801
WO 2003-JP9815 W 20030801

OTHER SOURCE(S): MARPAT 140:181335
IT 657407-79-9P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate; preparation of novel tetrahydroquinoline derivs. as androgen receptor agonists)
RN 657407-79-9 CAPLUS
CN Carbamic acid, [2-[(3aR,4S,9bS)-8-cyano-3a,4,5,9b-tetrahydro-3H-cyclopenta(c)quinolin-4-yl]-2-methylpropyl]-, 1,1-dimethylethyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
US 2006128737 A1 20060615 US 2005-518405 20051118
JP 2002-179088 A 20020619
PRIORITY APPL. INFO.: WO 2003-JP7799 W 20030619


OTHER SOURCE(S): MARPAT 140:59527
IT 637332-77-5P 637332-89-9P 637332-91-3P
637333-15-4P 637333-16-5P 637333-17-6P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(drug candidate; preparation of bicyclic tetrahydroquinoline derivs. as androgen receptor agonists)
RN 637332-77-5 CAPLUS
CN Acetamide, N-[2-methyl-2-[(3aR,4S,9bS)-3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta(c)quinolin-4-yl]propyl]-2-phenoxy-, rel- (CA INDEX NAME)

Relative stereochemistry.



RN 637332-89-9 CAPLUS
CN Acetamide, N-[2-methyl-2-[(3aR,4S,9bS)-3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta(c)quinolin-4-yl]propyl]-2-phenoxy-, rel- (CA INDEX NAME)


Relative stereochemistry.



L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)


RN 637332-91-3 CAPLUS
CN Acetamide, N-[2-methyl-2-[(3aR,4S,9bS)-3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl]propyl]-2-(phenylmethoxy)-, rel- (CA INDEX NAME)

Relative stereochemistry.



RN 637333-15-4 CAPLUS
CN Acetamide, 2-ethoxy-N-[2-methyl-2-[(3aR,4S,9bS)-3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl]propyl]-, rel- (CA INDEX NAME)


Relative stereochemistry.



RN 637333-16-5 CAPLUS
CN Acetamide, 2-hydroxy-N-[2-methyl-2-[(3aR,4S,9bS)-3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl]propyl]-, rel- (CA INDEX NAME)


Relative stereochemistry.

L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 637333-17-6 CAPLUS
CN Propanamide, 2-methoxy-N-[2-methyl-2-[(3aR,4S,9bS)-3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl]propyl]-, rel- (CA INDEX NAME)


Relative stereochemistry.



IT 637334-21-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate: preparation of bicyclic tetrahydroquinoline derivs. as androgen receptor agonists)
RN 637334-21-5 CAPLUS
CN Carbamic acid, [2-methyl-2-[(3aR,4S,9bS)-3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl]propyl]-, 1,1-dimethylethyl ester, rel- (9CI) (CA INDEX NAME)



Relative stereochemistry.

L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



REFERENCE COUNT: 10
THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE
FORMAT

L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
GI



AB Title compds. [I; R1 = 3-NO2, 3-CN, 2-NO2, 3-CH3S, 3-CH3SO, 3-CH3SO2; R2 = H, 1-OH; R3 = TBDPS, H, CH2OCH3, CH3, CH2CH3, 4-PC6H4, COCH3, (CH3)2CH; n = 0, 1; X = CH, CH2, O; dotted bond = single, double; Y = (CH3)2C, CH2CH2, Z = NHCONH, O, NHCSNH, SO, SO2 S, NHCO] or salts thereof, having

a specific and strong binding affinity for AR and exhibiting AR agonism or antagonism; and drug compns. containing the derivs. or the salts, are prepared

Thus, the title compound II was prepared and biol. tested.

ACCESSION NUMBER: 2001:283930 CAPLUS

DOCUMENT NUMBER: 134:295752

TITLE: Preparation of tetrahydroquinoline derivatives as

androgen receptor regulators

INVENTOR(S): Hanada, Keigo; Furuya, Kazuyuki; Inoguchi, Kiyoshi;

Miyakawa, Motonori; Nagata, Naoya

PATENT ASSIGNEE(S): Kaken Pharmaceutical Co., Ltd., Japan

SOURCE: PCT Int. Appl., 56 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|--|------|----------|-----------------|----------|
| WO 2001027086 | A1 | 20010419 | WO 2000-JP7007 | 20001006 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GR, GM, HP, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, MY, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, | | | | |

L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

YU, ZA, ZW
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

CA 2387201 A1 20010419 CA 2000-2387201 20001006
 AU 200075589 A 20010423 AU 2000-75589 20001006
 EP 1221439 A 20020710 EP 2000-964738 20001006
 EP 1221439 B1 20070103


R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL

AT 350036 T 20070115 AT 2000-964738 20001006
 ES 2277853 T3 20070801 ES 2000-964738 20001006
 US 7037919 B1 20060502 US 2002-110636 20020814
 KR 2007036192 A 20070402 KR 2007-704896 20070228
 JP 1999-292021 A 19991014

PRIORITY APPLN. INFO.:
 WO 2000-JP7007 W 20001006
 KR 2002-704708 A3 20020412


OTHER SOURCE(S): MARPAT 134:295752
 IT 334875-94-4P 334875-96-6P 334876-19-6P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation) (preparation of tetrahydroquinoline derivs. as androgen receptor regulators)

RN 334875-94-4 CAPLUS
 CN Acetamide, N-[2-methyl-2-(3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl)propyl]- (CA INDEX NAME)




RN 334875-96-6 CAPLUS
 CN Propanamide, 2-methyl-N-[2-methyl-2-(3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl)propyl]- (CA INDEX NAME)

L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)




IT 334875-44-4P 334875-92-2P 334875-98-8P
 334876-00-5P 334876-07-2P 334876-21-0P
 RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of tetrahydroquinoline derivs. as androgen receptor regulators)


RN 334875-44-4 CAPLUS
 CN Carbamic acid, [2-(8-cyano-3a,4,5,9b-tetrahydro-3H-cyclopenta[c]quinolin-4-yl)-2-methylpropyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)




RN 334875-92-2 CAPLUS
 CN Acetamide, N-[2-(3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl)ethyl]- (CA INDEX NAME)



L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)




RN 334876-19-6 CAPLUS
 CN Urea, N-(1-methylethyl)-N'-[2-methyl-2-(3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl)propyl]- (CA INDEX NAME)



IT 334875-40-0P 334875-42-2P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation of tetrahydroquinoline derivs. as androgen receptor regulators)


RN 334875-40-0 CAPLUS
 CN Carbamic acid, [2-(3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl)ethyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)




RN 334875-42-2 CAPLUS
 CN Carbamic acid, [2-methyl-2-(3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl)propyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)


RN 334875-98-8 CAPLUS
 CN Butanamide, 3-methyl-N-[2-methyl-2-(3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl)propyl]- (CA INDEX NAME)



RN 334876-00-5 CAPLUS
 CN Propanamide, 2,2-dimethyl-N-[2-methyl-2-(3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl)propyl]- (CA INDEX NAME)




RN 334876-07-2 CAPLUS
 CN Acetic acid, [12-methyl-2-(3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl)propyl]amino]oxo-, ethyl ester (9CI) (CA INDEX NAME)



RN 334876-21-0 CAPLUS

L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)
CN Urea, N-(3-methylphenyl)-N'-[2-methyl-2-(3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl)propyl]- (CA INDEX NAME)

PAGE 1-A




PAGE 2-A

RN 334876-23-2 CAPLUS
CN Urea,
N-[2-methyl-2-(3a,4,5,9b-tetrahydro-8-nitro-3H-cyclopenta[c]quinolin-4-yl)propyl]-N'-(4-nitrophenyl)- (CA INDEX NAME)


Me

L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

PAGE 1-A



PAGE 2-A



REFERENCE COUNT:
THIS

FORMAT

10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR
RECORD. ALL CITATIONS AVAILABLE IN THE RE

=> log off
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:Y
STN INTERNATIONAL LOGOFF AT 10:41:43 ON 02 JAN 2008